



12500 South Pulaski Road  
 Alsip, Illinois USA 60803  
 Tel 708 389-2500 Fax 708 388-0869  
 email: tuthillpump@tuthill.com  
 www.tuthill.com

Tuthill Pump Group  
 12500 South Pulaski Road  
 Alsip, Illinois 60803  
 USA  
 Phone: 708-389-2500  
 Fax: 708-388-0869  
 tuthillpump@tuthill.com  
 www.tuthillpump.com


### Performance Data For HD Series Pump

#### Model ID600 DI



Iron Construction

standard clearance



6" Std. Port Size





[Viscosity: 32 SSU]




[Viscosity: 100 SSU]



[Viscosity: 500 SSU]



[Viscosity: 5,000 SSU]



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0

Created on  
 November 30, 2000



12500 South Pulaski Road  
 Alsip, Illinois USA 60803  
 Tel 708 389-2500 Fax 708 388-0869  
 email: tuthillpump@tuthill.com  
 www.tuthill.com

Tuthill Pump Group  
 12500 South Pulaski Road  
 Alsip, Illinois 60803  
 USA  
 Phone: 708-389-2500  
 Fax: 708-388-0869  
 tuthillpump@tuthill.com  
 www.tuthillpump.com


### Performance Data For HD Series Pump

#### Model ID600 DI



Iron Construction

standard clearance



6" Std. Port Size




[Viscosity: 50,000 SSU]



[Viscosity: 500,000 SSU]



[Viscosity: 5,000,000 SSU]



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0

Created on  
 November 30, 2000



12500 South Pulaski Road  
 Alsip, Illinois USA 60803  
 Tel 708 389-2500 Fax 708 388-0869  
 email: tuthillpump@tuthill.com  
 www.tuthill.com

Tuthill Pump Group  
 12500 South Pulaski Road  
 Alsip, Illinois 60803  
 USA  
 Phone: 708-389-2500  
 Fax: 708-388-0869  
 tuthillpump@tuthill.com  
 www.tuthillpump.com


### Performance Data For HD Series Pump

#### Model ID600 DI



Iron Construction

hot clearance



6" Std. Port Size





[Viscosity: 32 SSU]




[Viscosity: 100 SSU]



[Viscosity: 500 SSU]



[Viscosity: 5,000 SSU]



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0

Created on  
 November 30, 2000



12500 South Pulaski Road  
 Alsip, Illinois USA 60803  
 Tel 708 389-2500 Fax 708 388-0869  
 email: tuthillpump@tuthill.com  
 www.tuthill.com

Tuthill Pump Group  
 12500 South Pulaski Road  
 Alsip, Illinois 60803  
 USA  
 Phone: 708-389-2500  
 Fax: 708-388-0869  
 tuthillpump@tuthill.com  
 www.tuthill.com


### Performance Data For HD Series Pump

#### Model ID600 DI



Iron Construction

hot clearance



6" Std. Port Size




[Viscosity: 50,000 SSU]



[Viscosity: 500,000 SSU]



[Viscosity: 5,000,000 SSU]



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0

Created on  
 November 30, 2000



12500 South Pulaski Road  
 Alsip, Illinois USA 60803  
 Tel 708 389-2500 Fax 708 388-0869  
 email: tuthillpump@tuthill.com  
 www.tuthill.com

Tuthill Pump Group  
 12500 South Pulaski Road  
 Alsip, Illinois 60803  
 USA  
 Phone: 708-389-2500  
 Fax: 708-388-0869  
 tuthillpump@tuthill.com  
 www.tuthillpump.com


### Performance Data For HD Series Pump

#### Model ID600 DI



Iron Construction

chocolate clearance



6" Std. Port Size





[Viscosity: 100 SSU]




[Viscosity: 500 SSU]



[Viscosity: 5,000 SSU]



[Viscosity: 50,000 SSU]



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0

Created on  
 November 30, 2000



12500 South Pulaski Road  
 Alsip, Illinois USA 60803  
 Tel 708 389-2500 Fax 708 388-0869  
 email: tuthillpump@tuthill.com  
 www.tuthill.com

Tuthill Pump Group  
 12500 South Pulaski Road  
 Alsip, Illinois 60803  
 USA  
 Phone: 708-389-2500  
 Fax: 708-388-0869  
 tuthillpump@tuthill.com  
 www.tuthillpump.com


### Performance Data For HD Series Pump

#### Model ID600 DI



Iron Construction

chocolate clearance


6" Std. Port Size



Viscosity: 500,000 SSU



Viscosity: 5,000,000 SSU



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0  
 Created on  
 November 30, 2000



12500 South Pulaski Road  
 Alsip, Illinois USA 60803  
 Tel 708 389-2500 Fax 708 388-0869  
 email: tuthillpump@tuthill.com  
 www.tuthill.com

Tuthill Pump Group  
 12500 South Pulaski Road  
 Alsip, Illinois 60803  
 USA  
 Phone: 708-389-2500  
 Fax: 708-388-0869  
 tuthillpump@tuthill.com  
 www.tuthillpump.com


### Performance Data For HD Series Pump

#### Model ID600 DI



Iron Construction

latex clearance



6" Std. Port Size





[Viscosity: 100 SSU]




[Viscosity: 500 SSU]



[Viscosity: 5,000 SSU]



[Viscosity: 50,000 SSU]



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0

Created on November 30, 2000



12500 South Pulaski Road  
 Alsip, Illinois USA 60803  
 Tel 708 389-2500 Fax 708 388-0869  
 email: tuthillpump@tuthill.com  
 www.tuthill.com

Tuthill Pump Group  
 12500 South Pulaski Road  
 Alsip, Illinois 60803  
 USA  
 Phone: 708-389-2500  
 Fax: 708-388-0869  
 tuthillpump@tuthill.com  
 www.tuthillpump.com


### Performance Data For HD Series Pump

#### Model ID600 DI



Iron Construction

latex clearance


6" Std. Port Size



Viscosity: 500,000 SSU



Viscosity: 5,000,000 SSU



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0  
 Created on  
 November 30, 2000





12500 South Pulaski Road  
 Alsip, Illinois USA 60803  
 Tel 708 389-2500 Fax 708 388-0869  
 email: tuthillpump@tuthill.com  
 www.tuthill.com

Tuthill Pump Group  
 12500 South Pulaski Road  
 Alsip, Illinois 60803  
 USA  
 Phone: 708-389-2500  
 Fax: 708-388-0869  
 tuthillpump@tuthill.com  
 www.tuthillpump.com


### Performance Data For HD Series Pump

#### Model ID600 DI



Iron Construction

std clearance lobe, choc clearance hub



6" Std. Port Size





[Viscosity: 32 SSU]




[Viscosity: 100 SSU]



[Viscosity: 500 SSU]



[Viscosity: 5,000 SSU]



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0

Created on  
 November 30, 2000



12500 South Pulaski Road  
 Alsip, Illinois USA 60803  
 Tel 708 389-2500 Fax 708 388-0869  
 email: tuthillpump@tuthill.com  
 www.tuthill.com

Tuthill Pump Group  
 12500 South Pulaski Road  
 Alsip, Illinois 60803  
 USA  
 Phone: 708-389-2500  
 Fax: 708-388-0869  
 tuthillpump@tuthill.com  
 www.tuthillpump.com


### Performance Data For HD Series Pump

#### Model ID600 DI



Iron Construction

std clearance lobe, choc clearance hub



6" Std. Port Size




[Viscosity: 50,000 SSU]



[Viscosity: 500,000 SSU]



[Viscosity: 5,000,000 SSU]



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0

Created on  
 November 30, 2000



12500 South Pulaski Road  
 Alsip, Illinois USA 60803  
 Tel 708 389-2500 Fax 708 388-0869  
 email: tuthillpump@tuthill.com  
 www.tuthill.com

Tuthill Pump Group  
 12500 South Pulaski Road  
 Alsip, Illinois 60803  
 USA  
 Phone: 708-389-2500  
 Fax: 708-388-0869  
 tuthillpump@tuthill.com  
 www.tuthillpump.com


### Performance Data For HD Series Pump

#### Model ID600 SS



Stainless Steel Construction

standard clearance



6" Std. Port Size





[Viscosity: 32 SSU]




[Viscosity: 100 SSU]



[Viscosity: 500 SSU]



[Viscosity: 5,000 SSU]



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0

Created on  
 November 30, 2000



12500 South Pulaski Road  
 Alsip, Illinois USA 60803  
 Tel 708 389-2500 Fax 708 388-0869  
 email: tuthillpump@tuthill.com  
 www.tuthill.com

Tuthill Pump Group  
 12500 South Pulaski Road  
 Alsip, Illinois 60803  
 USA  
 Phone: 708-389-2500  
 Fax: 708-388-0869  
 tuthillpump@tuthill.com  
 www.tuthillpump.com


### Performance Data For HD Series Pump

#### Model ID600 SS



Stainless Steel Construction

standard clearance



6" Std. Port Size




[Viscosity: 50,000 SSU]



[Viscosity: 500,000 SSU]



[Viscosity: 5,000,000 SSU]



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0

Created on  
 November 30, 2000



12500 South Pulaski Road  
 Alsip, Illinois USA 60803  
 Tel 708 389-2500 Fax 708 388-0869  
 email: tuthillpump@tuthill.com  
 www.tuthill.com

Tuthill Pump Group  
 12500 South Pulaski Road  
 Alsip, Illinois 60803  
 USA  
 Phone: 708-389-2500  
 Fax: 708-388-0869  
 tuthillpump@tuthill.com  
 www.tuthillpump.com


### Performance Data For HD Series Pump

#### Model ID600 SS



Stainless Steel Construction

hot clearance



6" Std. Port Size





[Viscosity: 32 SSU]




[Viscosity: 100 SSU]



[Viscosity: 500 SSU]



[Viscosity: 5,000 SSU]



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0

Created on November 30, 2000



12500 South Pulaski Road  
 Alsip, Illinois USA 60803  
 Tel 708 389-2500 Fax 708 388-0869  
 email: tuthillpump@tuthill.com  
 www.tuthill.com

Tuthill Pump Group  
 12500 South Pulaski Road  
 Alsip, Illinois 60803  
 USA  
 Phone: 708-389-2500  
 Fax: 708-388-0869  
 tuthillpump@tuthill.com  
 www.tuthillpump.com


### Performance Data For HD Series Pump

#### Model ID600 SS



Stainless Steel Construction

hot clearance



6" Std. Port Size




[Viscosity: 50,000 SSU]



[Viscosity: 500,000 SSU]



[Viscosity: 5,000,000 SSU]



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0

Created on  
 November 30, 2000



12500 South Pulaski Road  
 Alsip, Illinois USA 60803  
 Tel 708 389-2500 Fax 708 388-0869  
 email: tuthillpump@tuthill.com  
 www.tuthill.com

Tuthill Pump Group  
 12500 South Pulaski Road  
 Alsip, Illinois 60803  
 USA  
 Phone: 708-389-2500  
 Fax: 708-388-0869  
 tuthillpump@tuthill.com  
 www.tuthillpump.com


### Performance Data For HD Series Pump

#### Model ID600 SS



Stainless Steel Construction

chocolate clearance



6" Std. Port Size





[Viscosity: 100 SSU]




[Viscosity: 500 SSU]



[Viscosity: 5,000 SSU]



[Viscosity: 50,000 SSU]



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0

Created on November 30, 2000



12500 South Pulaski Road  
 Alsip, Illinois USA 60803  
 Tel 708 389-2500 Fax 708 388-0869  
 email: tuthillpump@tuthill.com  
 www.tuthill.com

Tuthill Pump Group  
 12500 South Pulaski Road  
 Alsip, Illinois 60803  
 USA  
 Phone: 708-389-2500  
 Fax: 708-388-0869  
 tuthillpump@tuthill.com  
 www.tuthillpump.com


### Performance Data For HD Series Pump

#### Model ID600 SS



Stainless Steel Construction

chocolate clearance


6" Std. Port Size



Viscosity: 500,000 SSU



Viscosity: 5,000,000 SSU



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0  
 Created on  
 November 30, 2000





12500 South Pulaski Road  
 Alsip, Illinois USA 60803  
 Tel 708 389-2500 Fax 708 388-0869  
 email: tuthillpump@tuthill.com  
 www.tuthill.com

Tuthill Pump Group  
 12500 South Pulaski Road  
 Alsip, Illinois 60803  
 USA  
 Phone: 708-389-2500  
 Fax: 708-388-0869  
 tuthillpump@tuthill.com  
 www.tuthill.com


### Performance Data For HD Series Pump

#### Model ID600 SS



Stainless Steel Construction

latex clearance



6" Std. Port Size





[Viscosity: 100 SSU]




[Viscosity: 500 SSU]



[Viscosity: 5,000 SSU]



[Viscosity: 50,000 SSU]



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0

Created on November 30, 2000



12500 South Pulaski Road  
 Alsip, Illinois USA 60803  
 Tel 708 389-2500 Fax 708 388-0869  
 email: tuthillpump@tuthill.com  
 www.tuthill.com

Tuthill Pump Group  
 12500 South Pulaski Road  
 Alsip, Illinois 60803  
 USA  
 Phone: 708-389-2500  
 Fax: 708-388-0869  
 tuthillpump@tuthill.com  
 www.tuthillpump.com



### Performance Data For HD Series Pump

#### Model ID600 SS

Stainless Steel Construction

latex clearance

6" Std. Port Size



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0  
 Created on  
 November 30, 2000



12500 South Pulaski Road  
 Alsip, Illinois USA 60803  
 Tel 708 389-2500 Fax 708 388-0869  
 email: tuthillpump@tuthill.com  
 www.tuthill.com

Tuthill Pump Group  
 12500 South Pulaski Road  
 Alsip, Illinois 60803  
 USA  
 Phone: 708-389-2500  
 Fax: 708-388-0869  
 tuthillpump@tuthill.com  
 www.tuthillpump.com


### Performance Data For HD Series Pump

#### Model ID600 SS



Stainless Steel Construction

std clearance lobe, choc clearance hub



6" Std. Port Size





[Viscosity: 32 SSU]




[Viscosity: 100 SSU]



[Viscosity: 500 SSU]



[Viscosity: 5,000 SSU]



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0

Created on November 30, 2000



12500 South Pulaski Road  
 Alsip, Illinois USA 60803  
 Tel 708 389-2500 Fax 708 388-0869  
 email: tuthillpump@tuthill.com  
 www.tuthill.com

Tuthill Pump Group  
 12500 South Pulaski Road  
 Alsip, Illinois 60803  
 USA  
 Phone: 708-389-2500  
 Fax: 708-388-0869  
 tuthillpump@tuthill.com  
 www.tuthillpump.com


### Performance Data For HD Series Pump

#### Model ID600 SS



Stainless Steel Construction

std clearance lobe, choc clearance hub



6" Std. Port Size




[Viscosity: 50,000 SSU]



[Viscosity: 500,000 SSU]



[Viscosity: 5,000,000 SSU]



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.0.beta.0

Created on  
 November 30, 2000